



Bearing No. 6201-RSH

D	32 mm
d	12 mm
B	10 mm
C	10 mm
d1	– mm
d2	16,6 mm
D1	27,4 mm
D2	0,6 mm
Bore	0.472 Inch 12 Millimeter
Noun	Bearing
UNSPSC	31171504
Weight	0,038 Kg
da min.	16,5 mm
Da max.	27,8 mm
ra max.	0,6 mm
r1 min.	16,2 mm
r2 min.	16,2 mm
Category	Single Row Ball Bearing
Enclosure	1 Seal
Snap Ring	No
Size (mm)	12x32x10
Inventory	0.0
Width (mm)	10
Mass bearing	0.037 kg
Weight / LBS	0.081
Inch - Metric	Metric
Cage Material	Steel
Product Group	B00308
Enclosure Type	Contact Seal

Other Features	Deep Groove NBR Seal
Keyword String	Ball
Bearing number	6201-RSH
Limiting speed	15000 r/min
Reference speed	– r/min
Precision Class	ABEC 1 ISO P0
Rolling Element	Ball Bearing
Long Description	12MM Bore; 32MM Outside Diameter; 10MM Outer Race Width; 1 Seal; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features; C0-Medium Internal Clearance; Steel Cage; C
Outside Diameter	1.26 Inch 32 Millimeter
Outer Race Width	0.394 Inch 10 Millimeter
Inner Race Width	0 Inch 0 Millimeter
Manufacturer URL	http://www.skf.com
Manufacturer Name	SKF
Weight / Kilogram	0.039
r_a max.	0.6 mm
D_a max.	27.8 mm
d_a max.	16.5 mm
Internal Clearance	C0-Medium
d_a min.	16.2 mm
Bore Diameter (mm)	12
Outer Diameter (mm)	32
Minimum Buy Quantity	N/A
d_2 ?	16.2 mm
D_2 ?	27.34 mm

Harmonized Tariff Code	8482.10.50.68
Fatigue load limit (Pu)	0,132
Calculation factor (f0)	12
Manufacturer Item Number	6201-RSH
Internal Special Features	No
Basic dynamic load rating C	7.28 kN
Basic dynamic load rating (C)	7,28 kN
Basic static load rating (C0)	3,1 kN
Maximum Capacity / Filling Slot	No
Fatigue load limit P_u	0.132 kN
Calculation factor k_r	0.025
Calculation factor f_0	12
Basic static load rating C_0	3.1 kN