



Bearing No. 6202

D	35 mm
d	15 mm
B	11 mm
C	11 mm
f0	13.2
Cu	0.290
Cr	9.55
C0r	3.75
Bore	0.591 Inch 15 Millimeter
Noun	Bearing
UNSPSC	31171504
Weight	0,045 Kg
r(min)	0.6
r min.	0,6 mm
da min.	19 mm
ra(max)	0.6
Da max.	31 mm
Da(max)	31
da(min)	19
ra max.	0,6 mm
Category	Single Row Ball Bearing
Oil lub.	24000
Inventory	0.0
Enclosure	Open
Size (mm)	15x35x11
Snap Ring	No
Width (mm)	11
Grease lub.	20000
Bearing No.	6202

Weight / LBS	0.107
Product Group	B00308
Cage Material	Steel
Inch - Metric	Metric
Keyword String	Ball
Bearing number	6202
Precision Class	ABEC 1 ISO P0
Rolling Element	Ball Bearing
Long Description	15MM Bore; 35MM Outside Diameter; 11MM Outer Race Diameter; Open; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features
Outside Diameter	1.378 Inch 35 Millimeter
Outer Race Width	0.433 Inch 11 Millimeter
(Refer.)Mass(kg)	0.045
Manufacturer URL	http://www.koyousa.com
Weight / Kilogram	0.049
Manufacturer Name	KOYO
Internal Clearance	C0-Medium
Bore Diameter (mm)	15
Outer Diameter (mm)	35
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.10.50.68
(Oil) Lubrication Speed	24000 r/min
Manufacturer Item Number	6202
Internal Special Features	No
(Grease) Lubrication Speed	20000 r/min

Basic static load rating (C0)	3,75 kN
Basic dynamic load rating (C)	7,65 kN
Maximum Capacity / Filling Slot	No