



**Bearing No. 6202-2NSE9**

D	35 mm
d	15 mm
B	11 mm
C	11 mm
Noun	Bearing
Bore	0.591 Inch   15 Millimeter
Width	11 mm
UNSPSC	31171504
Weight	0.045 kg
r min.	0.6 mm
ra (max)	0.6 mm
Da (max)	30 mm
da (min)	20 mm
Category	Single Row Ball Bearing
Factor fo	13.1
Size (mm)	15x35x11
Inventory	0.0
Bore Size	15 mm
Bore Type	Cylindrical Bore
Enclosure	2 Seals
Snap Ring	No
Width (mm)	11
Weight / LBS	0.099
Configuration	Single Row
Inch - Metric	Metric
Cage Material	Steel
Product Group	B00308
Enclosure Type	Contact Seal
Keyword String	Ball

Bearing number	6202-2NSE9
Other Features	Deep Groove
Rolling Element	Ball Bearing
Precision Class	ABEC 1   ISO P0
Outside Diameter	1.378 Inch   35 Millimeter
Manufacturer URL	<a href="http://www.nachi-america.com">http://www.nachi-america.com</a>
Outer Race Width	0.433 Inch   11 Millimeter
Inner Race Width	0 Inch   0 Millimeter
Long Description	15MM Bore; 35MM Outside Diameter; 11MM Outer Race Width; 2 Seals; Ball Bearing; ABEC 1   ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features; C0-Medium Internal Clearance; Steel Cage;
Radial Clearance	0.003 to 0.018 mm
Weight / US pound	0.1
Manufacturer Name	NACHI
Bore Diameter (mm)	15
Internal Clearance	C0-Medium
Static Load Rating	3,700 N
Dynamic Load Rating	7,650 N
Outer Diameter (mm)	35
Minimum Buy Quantity	N/A
Fillet Radius/Chamfer	0.6 mm
Harmonized Tariff Code	8482.10.50.68
Limiting Speed - Grease	15,000 rpm
Internal Special Features	No
Basic dynamic load	7,65 kN

rating (C)	
Basic static load rating (C0)	3,7 kN
Maximum Capacity / Filling Slot	No