




Bearing No. NA4852

S	2 mm / Axial displacement
D	320 mm
m	10600 g / Weight
F	285 mm
B	60 mm
d	260 mm
Noun	Bearing
Bore	10.236 Inch 260 Millimeter
Width	2.362 Inch 60 Millimeter
UNSPSC	31171512
Retainer	Yes
Category	Needle Non Thrust Roller Bearing
Enclosure	Open
Component	Complete with Outer and Inner Ring
Separable	Inner Ring - Both Sides
Inventory	0.0
Size (mm)	260x320x60
Width (mm)	60
Closed End	No
Weight / LBS	23.373
n_B	890 1/min / Reference speed
Inch - Metric	Metric
Product Group	B04270
n_G	1660 1/min / Limiting speed
C_r	415000 N / Dynamic load rating (radial)

Self Aligning	No
Other Features	Plain Inner Ring 2 Rib Outer Ring Precision Bearing Steel Cage Ground Raceway with Rib Oil Hole
Bearing number	NA4852
Keyword String	Needle
Thrust Bearing	No
C _{ur}	158000 N / Fatigue limit load, radial
C _{or}	1160000 N / Static load rating (radial)
Relubricatable	Yes
Rolling Element	Needle Roller Bearing
r _{min}	2 mm
Manufacturer URL	http://www.ina.com
Long Description	260MM Bore; 320MM Outside Diameter; 60MM Width; Needle Roller Bearing; Complete with Outer and Inner Ring; Open Enclosure; No Self Aligning; Retainer; Single Row of Rollers; Inner Ring - Both Sides Se
Outside Diameter	12.598 Inch 320 Millimeter
Weight / Kilogram	12.705
Manufacturer Name	SCHAEFFLER GROUP
Bore Diameter (mm)	260
Outer Diameter (mm)	320
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.40.00.00
Manufacturer Item	NA4852



Number	
Number of Rows of Rollers	Single Row