




Bearing No. NA4840

D	250 mm
d	200 mm
B	50 mm
F	220 mm
s	1,5 mm / Axial displacement
m	5840 g / Weight
Bore	7.874 Inch 200 Millimeter
Noun	Bearing
Width	1.969 Inch 50 Millimeter
UNSPSC	31171512
Category	Needle Non Thrust Roller Bearing
Retainer	Yes
Enclosure	Open
Component	Complete with Outer and Inner Ring
Size (mm)	200x250x50
Inventory	0.0
Separable	Inner Ring - Both Sides
Width (mm)	50
Closed End	No
Weight / LBS	12.877
n_B	1270 1/min / Reference speed
Product Group	B04270
C_r	260000 N / Dynamic load rating (radial)
Self Aligning	No
Inch - Metric	Metric

n_G	2150 1/min / Limiting speed
Other Features	Plain Inner Ring 2 Rib Outer Ring Precision Bearing Steel Cage Ground Raceway with Rib Oil Hole
Thrust Bearing	No
Relubricatable	Yes
Keyword String	Needle
Bearing number	NA4840
C_{ur}	102000 N / Fatigue limit load, radial
C_{Or}	720000 N / Static load rating (radial)
r_{min}	1,5 mm
Rolling Element	Needle Roller Bearing
Long Description	200MM Bore; 250MM Outside Diameter; 50MM Width; Needle Roller Bearing; Complete with Outer and Inner Ring; Open Enclosure; No Self Aligning; Retainer; Single Row of Rollers; Inner Ring - Both Sides Se
Manufacturer URL	http://www.ina.com
Outside Diameter	9.843 Inch 250 Millimeter
Weight / Kilogram	7
Manufacturer Name	SCHAEFFLER GROUP
Bore Diameter (mm)	200
Outer Diameter (mm)	250
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.40.00.00



Manufacturer Item Number	NA4840
Number of Rows of Rollers	Single Row