



Bearing No. 6202LLBNR

D	35,000 mm
d	15,000 mm
B	11,000 mm
C	11,000 mm
Noun	Bearing
Bore	0.591 Inch 15 Millimeter
UNSPSC	31171504
series:	62
Category	Single Row Ball Bearing
Snap Ring	Yes
Enclosure	2 Seals
Size (mm)	15x35x11
Inventory	0.0
bore type:	Round
Width (mm)	11,000
maximum rpm:	23000 RPM
Weight / LBS	0.099
closure type:	Double Sealed
Product Group	B00308
Cage Material	Steel
Inch - Metric	Metric
fillet radius:	0.6 mm
overall width:	11 mm
bore diameter:	15 mm
Keyword String	Ball
cage material:	Steel
Bearing number	6202LLBNR
Other Features	Deep Groove Non-Friction Nitrile Rubber Seal With Snap Ring

	Shell Alvania Prelubricated
Enclosure Type	Non-Contact Seal
finish/coating:	Uncoated
Rolling Element	Ball Bearing
Precision Class	ABEC 1 ISO P0
Manufacturer URL	http://www.ntnamerica.com
Outside Diameter	1.378 Inch 35 Millimeter
Outer Race Width	0.433 Inch 11 Millimeter
Long Description	15MM Bore; 35MM Outside Diameter; 11MM Outer Race Width; 2 Seals; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; Yes Snap Ring; No Internal Special Features; C0-Medium Internal Clearance; Steel Cage;
Inner Race Width	0 Inch 0 Millimeter
precision rating:	ISO Class 0
outside diameter:	35 mm
bearing material:	High Carbon Chrome Steel
Manufacturer Name	NTN
Weight / Kilogram	0
inner ring width:	11 mm
outer ring width:	11 mm
Bore Diameter (mm)	15,000
Internal Clearance	C0-Medium
snap ring included:	With Snap Ring
Outer Diameter (mm)	35,000
internal clearance:	CN

Minimum Buy Quantity	N/A
maximum rpm (grease):	19000 rpm
row type & fill slot:	Single Row Non-Fill Slot
static load capacity:	3600 N
Harmonized Tariff Code	8482.10.50.68
dynamic load capacity:	7750 N
Internal Special Features	No
manufacturer product page:	Click here
operating temperature range:	-40 to 120 °C
Maximum Capacity / Filling Slot	No