




Bearing No. NA4822

s	0,8 mm / Axial displacement
D	140 mm
m	1080 g / Weight
F	120 mm
B	30 mm
d	110 mm
Noun	Bearing
Bore	4.331 Inch 110 Millimeter
Width	1.181 Inch 30 Millimeter
UNSPSC	31171512
Retainer	Yes
Category	Needle Non Thrust Roller Bearing
Enclosure	Open
Component	Complete with Outer and Inner Ring
Separable	Inner Ring - Both Sides
Inventory	2.0
Size (mm)	110x140x30
Width (mm)	30
Closed End	No
Weight / LBS	2.381
n_B	2300 1/min / Reference speed
Inch - Metric	Metric
Product Group	B04144
n_G	3900 1/min / Limiting speed
C_r	106000 N / Dynamic load rating (radial)

Self Aligning	No
Other Features	Plain Inner Ring 2 Rib Outer Ring Precision Steel Cage Ground Raceway with Rib Oil Hole
Bearing number	NA4822
Keyword String	Needle
Thrust Bearing	No
C_{ur}	36000 N / Fatigue limit load, radial
C_{Or}	216000 N / Static load rating (radial)
Relubricatable	Yes
Rolling Element	Needle Roller Bearing
r_{min}	1 mm
Manufacturer URL	http://www.ina.com
Long Description	110MM Bore; 140MM Outside Diameter; 30MM Width; Needle Roller Bearing; Complete with Outer and Inner Ring; Open; Not Self Aligning; Retainer; Single Row of Rollers; Inner Ring - Both Sides Separable;
Outside Diameter	5.512 Inch 140 Millimeter
Weight / Kilogram	1.08
Manufacturer Name	SCHAEFFLER GROUP
Bore Diameter (mm)	110
Outer Diameter (mm)	140
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.40.00.00
Manufacturer Item Number	NA4822



Number of Rows of Rollers	Single Row
------------------------------	------------