




Bearing No. 6204

D	47 mm
d	20 mm
B	14 mm
Bore	0.787 Inch 20 Millimeter
Noun	Bearing
UNSPSC	31171504
Category	Single Row Ball Bearing
Inventory	0.0
Enclosure	Open
Size (mm)	47x20x14
Snap Ring	No
Width (mm)	14
Mass bearing	0.1 kg
Weight / LBS	0.24
Inch - Metric	Metric
Cage Material	Steel
D ₂	40.59 mm
d ₁	28.8 mm
Product Group	B00308
Keyword String	Ball
Bearing number	6204
Limiting speed	20000 r/min
Precision Class	ABEC 1 ISO P0
Rolling Element	Ball Bearing
Reference speed	32000 r/min
Manufacturer URL	http://www.skf.com
Long Description	20MM Bore; 47MM Outside Diameter; 14MM Outer Race Diameter; Open; Ball

	Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features
Outside Diameter	1.85 Inch 47 Millimeter
Outer Race Width	0.551 Inch 14 Millimeter
Weight / Kilogram	0.109
Manufacturer Name	SKF
D _a max.	41.4 mm
r _a max.	1 mm
Bore Diameter (mm)	47
Internal Clearance	C0-Medium
d _a min.	25.6 mm
Outer Diameter (mm)	20
r _{1,2} min.	1 mm
r _a - max.	1 mm
d _a - min.	25.6 mm
D _a - max.	41.4 mm
Minimum Buy Quantity	N/A
d ₁ ?	28.8 mm
D ₂ ?	40.59 mm
Harmonized Tariff Code	8482.10.50.68
r _{1,2} - min.	1 mm
Manufacturer Item Number	6204
Internal Special Features	No
Basic dynamic load rating C	13.5 kN
Basic dynamic load rating - C	13.5 kN
Maximum Capacity / Filling Slot	No
Fatigue load limit P _u	0.28 kN

Calculation factor k_r	0.025
Calculation factor f_0	13
Calculation factor - k_r	0.025
Fatigue load limit - P_u	0.28 kN
Calculation factor - f_0	13
Basic static load rating C_0	6.55 kN
Basic static load rating - C_0	6.6 kN