



Bearing No. 6204ZZNR

D	47,000 mm
d	20,000 mm
B	14,000 mm
C	14,000 mm
Noun	Bearing
Bore	0.787 Inch 20 Millimeter
UNSPSC	31171504
Category	Single Row Ball Bearing
Size (mm)	20x47x14
Snap Ring	Yes
Inventory	0.0
Enclosure	2 Metal Shields
bore type:	Round
Width (mm)	14,000
Weight / LBS	0.234
Product Group	B00308
closure type:	Double Shielded
Cage Material	Steel
Inch - Metric	Metric
overall width:	14 mm
bore diameter:	20 mm
cage material:	Steel
Keyword String	Ball
fillet radius:	1 mm
Bearing number	6204ZZNR
Other Features	Deep Groove With Snap Ring
Rolling Element	Ball Bearing
finish/coating:	Uncoated
Precision Class	ABEC 1 ISO P0

Manufacturer URL	http://www.ntnamerica.com
Outside Diameter	1.85 Inch 47 Millimeter
Outer Race Width	0.551 Inch 14 Millimeter
Inner Race Width	0 Inch 0 Millimeter
Long Description	20MM Bore; 47MM Outside Diameter; 14MM Outer Race Width; 2 Metal Shields; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; Yes Snap Ring; No Internal Special Features; C0-Medium Internal Clearance; Ste
precision rating:	ISO Class 0
outer ring width:	14 mm
inner ring width:	14 mm
Manufacturer Name	NTN
bearing material:	High Carbon Chrome Steel
Weight / Kilogram	0.106
outside diameter:	47 mm
Bore Diameter (mm)	20,000
Internal Clearance	C0-Medium
snap ring included:	With Snap Ring
Outer Diameter (mm)	47,000
internal clearance:	CN
Minimum Buy Quantity	N/A
row type & fill slot:	Single Row Non-Fill Slot
static load capacity:	6650 N
maximum rpm (grease):	16000 rpm
Harmonized Tariff Code	8482.10.50.68
dynamic load capacity:	12800 N
Manufacturer Item	6204ZZNR

Number	
Internal Special Features	No
manufacturer product page:	Click here
operating temperature range:	-40 to 120 °C
Maximum Capacity / Filling Slot	No