




Bearing No. 6205

D	52 mm
d	25 mm
B	15 mm
C	15 mm
f0	13.9
Cu	0.550
Cr	17.5
C0r	7.85
Bore	0.984 Inch 25 Millimeter
Noun	Bearing
UNSPSC	31171504
Weight	0,128 Kg
r(min)	1
r min.	1 mm
da min.	30 mm
ra(max)	1
Da max.	47 mm
Da(max)	47
da(min)	30
ra max.	1 mm
Category	Single Row Ball Bearing
Oil lub.	15000
Inventory	0.0
Enclosure	Open
Size (mm)	25x52x15
Snap Ring	No
Width (mm)	15
Grease lub.	13000
Bearing No.	6205

Weight / LBS	0.28219
Product Group	B00308
Cage Material	Steel
Inch - Metric	Metric
Keyword String	Ball
Bearing number	6205
Other Features	Deep Groove
Rolling Element	Ball Bearing
Precision Class	ABEC 1 ISO P0
(Refer.)Mass(kg)	0.128
Manufacturer URL	http://www.koyousa.com
Inner Race Width	0 Inch 0 Millimeter
Outer Race Width	0.591 Inch 15 Millimeter
Long Description	25MM Bore; 52MM Outside Diameter; 15MM Outer Race Width; Open; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features; C0-Medium Internal Clearance; Steel Cage
Outside Diameter	2.047 Inch 52 Millimeter
Manufacturer Name	KOYO
Weight / Kilogram	0.142
Internal Clearance	C0-Medium
Bore Diameter (mm)	25
Outer Diameter (mm)	52
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.10.50.68
(Oil) Lubrication Speed	15000 r/min
Internal Special Features	No

(Grease) Lubrication Speed	13000 r/min
Basic static load rating (C0)	7,85 kN
Basic dynamic load rating (C)	14 kN
Maximum Capacity / Filling Slot	No