




Bearing No. 16017

D	130 mm
d	85 mm
B	14 mm
C	14 mm
f0	16.5
Cu	1.55
Cr	40.8
C0r	31.7
Bore	3.346 Inch 85 Millimeter
Noun	Bearing
UNSPSC	31171504
Weight	0,626 Kg
r(min)	0.6
r min.	0,6 mm
da min.	89 mm
ra(max)	0.6
Da max.	126 mm
Da(max)	126
da(min)	89
ra max.	0,6 mm
Category	Single Row Ball Bearing
Oil lub.	5800
Inventory	0.0
Enclosure	Open
Size (mm)	85x130x14
Snap Ring	No
Width (mm)	14
Grease lub.	4900
Bearing No.	16017

Weight / LBS	1.38009
Product Group	B00308
Cage Material	Steel
Inch - Metric	Metric
Keyword String	Ball
Bearing number	16017
Other Features	Deep Groove
Rolling Element	Ball Bearing
Precision Class	ABEC 1 ISO P0
(Refer.)Mass(kg)	0.626
Manufacturer URL	http://www.koyousa.com
Long Description	85MM Bore; 130MM Outside Diameter; 14MM Outer Race Width; Open; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features; C0-Medium Internal Clearance; Steel Cage
Inner Race Width	0 Inch 0 Millimeter
Outside Diameter	5.118 Inch 130 Millimeter
Outer Race Width	0.551 Inch 14 Millimeter
Manufacturer Name	KOYO
Weight / Kilogram	0.626
Internal Clearance	C0-Medium
Bore Diameter (mm)	85
Outer Diameter (mm)	130
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.10.50.68
(Oil) Lubrication Speed	5800 r/min
Internal Special Features	No

(Grease) Lubrication Speed	4900 r/min
Basic static load rating (C0)	31,7 kN
Basic dynamic load rating (C)	32,6 kN
Maximum Capacity / Filling Slot	No