




Bearing No. 7334BG

D	360,000 mm
d	170,000 mm
B	72,000 mm
C	72,000 mm
a	147 mm
Mass	35.3 kg
Noun	Bearing
Bore	6.693 Inch 170 Millimeter
Width	2.835 Inch 72 Millimeter
ra max	3 mm
Db max	3 mm
Da max	351.5 mm
db min	342 mm
da min	188 mm
UNSPSC	31171531
rs min	4 mm
r1s min	1.5 mm
r1a max	1.5 mm
Category	Angular Contact Ball Bearing
Size (mm)	170x360x72
Enclosure	Open
Snap Ring	No
Inventory	0.0
Nlim (oil)	2,300 rpm
bore type:	Round
Width (mm)	72,000
Weight / LBS	79.56
Flush Ground	Yes

Product Group	B00308
Contact Angle	40 Degree
Cage Material	Steel
Nlim (grease)	1,700 rpm
Inch - Metric	Metric
closure type:	Open
Keyword String	Angular Contact
bore diameter:	170 mm
overall width:	72 mm
Bearing number	7334BG
contact angle:	40 °
Precision Class	ABEC 1 ISO P0
Rolling Element	Ball Bearing
Dynamic load, C	355 kN
Static load, C0	445 kN
Manufacturer URL	http://www.ntnamerica.com
Contact angle ?	40 °
Outside Diameter	14.173 Inch 360 Millimeter
Long Description	170MM Bore; 360MM Outside Diameter; 72MM Width; Open; Yes Flush Ground; Ball Bearing; Single Row of Balls; ABEC 1 ISO P0; No Filling Slot; No Snap Ring
outside diameter:	360 mm
Weight / Kilogram	36.12
Manufacturer Name	NTN
Number of Bearings	1 (Single)
Internal Clearance	C0-Medium
Bore Diameter (mm)	170,000
Outer Diameter (mm)	360,000

Minimum Buy Quantity	N/A
Mounting Arrangement	Universal
Harmonized Tariff Code	8482.10.50.28
Fatigue limit load, Cu	12.4 kN
Radial clearance class	CN
Number of Rows of Balls	Single Row
Manufacturer Item Number	7334BG
manufacturer upc number:	4547359454260
Max operating temperature, Tmax	120 °C
Min operating temperature, Tmin	-40 °C
Maximum Capacity / Filling Slot	No