




Bearing No. 7209B

D	85 mm
d	45 mm
B	19 mm
C	19 mm
a	36.4 mm
Cu	1.60
Cr	45.1
f0	-
C0r	26.1
Noun	Bearing
Bore	1.772 Inch 45 Millimeter
a(mm)	36.4
Width	0.748 Inch 19 Millimeter
Weight	0.430 Kg
r min.	1.1 mm
UNSPSC	31171531
r(min)	1.1
da(min)	52
r1 min.	0.6 mm
Da max.	78 mm
r1(min)	0.6
Da(max)	78
ra max.	1 mm
ra(max)	1
da min.	52 mm
Category	Angular Contact Ball Bearing
Oil lub.	7500
Inventory	0.0

Enclosure	Open
Size (mm)	45x85x19
Snap Ring	No
Width (mm)	19
Bearing No.	7209B
Grease lub.	5600
Flush Ground	No
Contact Angle	40 Degree
Inch - Metric	Metric
Cage Material	Steel
Product Group	B00308
Keyword String	Angular Contact
Bearing number	7209B
Precision Class	ABEC 1 ISO P0
Rolling Element	Ball Bearing
Angle (?)	40 °
(Refer.)Mass(kg)	0.430
Outside Diameter	3.346 Inch 85 Millimeter
Manufacturer URL	http://www.koyousa.com
Long Description	45MM Bore; 85MM Outside Diameter; 19MM Width; Open; No Flush Ground; Ball Bearing; Single Row of Balls; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; C0-Medium; Steel Cage; 40 Degree; 1 (Single)
Weight / Kilogram	0
Manufacturer Name	KOYO
Number of Bearings	1 (Single)
Internal Clearance	C0-Medium
Bore Diameter (mm)	45

Outer Diameter (mm)	85
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.10.50.28
Number of Rows of Balls	Single Row
(Grease) Lubrication Speed	7000 r/min
Maximum Capacity / Filling Slot	No