




Bearing No. 7318B

a	80.2 mm
d	90 mm
D	190 mm
B	43 mm
C	43 mm
Cr	195
f0	-
Cu	5.90
C0r	135
Noun	Bearing
Bore	3.543 Inch 90 Millimeter
Width	1.693 Inch 43 Millimeter
a(mm)	80.2
UNSPSC	31171531
r(min)	3
r min.	3 mm
Weight	5.30 Kg
da min.	104 mm
ra(max)	2.5
ra max.	2.5 mm
r1 min.	1.1 mm
Da max.	176 mm
da(min)	104
r1(min)	1.1
Da(max)	176
Category	Angular Contact Ball Bearing
Oil lub.	3300
Snap Ring	No

Enclosure	Open
Size (mm)	90x190x43
Inventory	0.0
Width (mm)	43
Bearing No.	7318B
Grease lub.	2400
Flush Ground	No
Contact Angle	40 Degree
Inch - Metric	Metric
Cage Material	Steel
Product Group	B00308
Keyword String	Angular Contact
Bearing number	7318B
Precision Class	ABEC 1 ISO P0
Rolling Element	Ball Bearing
Angle (?)	40 °
(Refer.)Mass(kg)	5.30
Outside Diameter	7.48 Inch 190 Millimeter
Manufacturer URL	http://www.koyousa.com
Long Description	90MM Bore; 190MM Outside Diameter; 43MM Width; Open; No Flush Ground; Ball Bearing; Single Row of Balls; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; C0-Medium; Steel Cage; 40 Degree; 1 (Single)
Weight / Kilogram	0
Manufacturer Name	KOYO
Number of Bearings	1 (Single)
Internal Clearance	C0-Medium
Bore Diameter (mm)	90



Outer Diameter (mm)	190
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.10.50.28
Number of Rows of Balls	Single Row
(Grease) Lubrication Speed	3100 r/min
Maximum Capacity / Filling Slot	No