




Bearing No. 6212

D	110 mm
d	60 mm
B	22 mm
C	22 mm
f0	14.4
Cu	2.40
Cr	65.6
C0r	36.2
Bore	2.362 Inch 60 Millimeter
Noun	Bearing
UNSPSC	31171504
Weight	0,783 Kg
r(min)	1.5
r min.	1,5 mm
da min.	68 mm
ra(max)	1.5
Da max.	102 mm
Da(max)	102
da(min)	68
ra max.	1,5 mm
Category	Single Row Ball Bearing
Oil lub.	6900
Inventory	0.0
Enclosure	Open
Size (mm)	60x110x22
Snap Ring	No
Width (mm)	22
Grease lub.	5700
Bearing No.	6212

Weight / LBS	1.852
Product Group	B00308
Cage Material	Steel
Inch - Metric	Metric
Keyword String	Ball
Bearing number	6212
Precision Class	ABEC 1 ISO P0
Rolling Element	Ball Bearing
Outer Race Width	0.866 Inch 22 Millimeter
Long Description	60MM Bore; 110MM Outside Diameter; 22MM Outer Race Diameter; Open; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features
Outside Diameter	4.331 Inch 110 Millimeter
(Refer.)Mass(kg)	0.783
Manufacturer URL	http://www.koyousa.com
Weight / Kilogram	0.841
Manufacturer Name	KOYO
Internal Clearance	C0-Medium
Bore Diameter (mm)	60
Outer Diameter (mm)	110
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.10.50.68
(Oil) Lubrication Speed	6900 r/min
Manufacturer Item Number	6212
Internal Special Features	No
(Grease) Lubrication Speed	5700 r/min

Basic static load rating (C0)	36,2 kN
Basic dynamic load rating (C)	52,4 kN
Maximum Capacity / Filling Slot	No