




Bearing No. 6212N

a	3,28 mm
b	2,7 mm
d	60 mm
D	110 mm
B	22 mm
C	22 mm
Cz	2,5 mm
Dx	118 mm
D1	106,81 mm
Cy	5,4 mm
rn	0,5 mm
Noun	Bearing
Bore	2.362 Inch 60 Millimeter
r min.	1,5 mm
UNSPSC	31171504
Weight	0,783 Kg
da max	75 mm
r0 max.	0,6 mm
da min.	68 mm
Da max.	102 mm
ra max.	1,5 mm
Category	Single Row Ball Bearing
Enclosure	Open
Size (mm)	60x110x22
Inventory	0.0
Snap Ring	Yes
Width (mm)	22
Weight / LBS	1.73062
Inch - Metric	Metric

Cage Material	Steel
Product Group	B00308
Keyword String	Ball
Other Features	Deep Groove With Snap Ring Groove
Bearing number	6212N
Precision Class	ABEC 1 ISO P0
Rolling Element	Ball Bearing
Long Description	60MM Bore; 110MM Outside Diameter; 22MM Outer Race Width; Open; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; Yes Snap Ring; No Internal Special Features; C0-Medium Internal Clearance; Steel Cage
Outside Diameter	4.331 Inch 110 Millimeter
Outer Race Width	0.866 Inch 22 Millimeter
Manufacturer URL	http://www.ntnamerica.com
Inner Race Width	0 Inch 0 Millimeter
Weight / Kilogram	0.758
Manufacturer Name	NTN
Internal Clearance	C0-Medium
Bore Diameter (mm)	60
Outer Diameter (mm)	110
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.10.50.68
(Oil) Lubrication Speed	7 000 r/min
Internal Special Features	No
(Grease) Lubrication Speed	6 000 r/min

Basic static load rating (C0)	36 kN
Basic dynamic load rating (C)	52,5 kN
Maximum Capacity / Filling Slot	No