


Bearing No. ZKLFA1263-2RS



J	53 mm
d	12 mm
D	42 mm
B	25 mm
C	25 mm
A	45 mm
D1	63 mm
d1	25 mm
B2	10 mm
d2	6,8 mm
Noun	Bearing
Bore	0.472 Inch 12 Millimeter
Width	0.984 Inch 25 Millimeter
Screw	M6
UNSPSC	31171531
da max	31 mm
Weight	0,3 Kg
r min.	0,3 mm
r1 min.	0,6 mm
da min.	16 mm
Category	Angular Contact Ball Bearing
Enclosure	2 Seals
Size (mm)	12x42x25
Inventory	0.0
Angle (?)	60 °
Snap Ring	Yes
Width (mm)	25
Weight / LBS	0.66139

Flush Ground	No
Product Group	B00270
Inch - Metric	Metric
Contact Angle	60 Degree
Cage Material	Plastic
Keyword String	Angular Contact
Other Features	With Fixing Holes With Snap Ring Groove
Bearing number	ZKLFA1263-2RS
Precision Class	ABEC 1 ISO P0
Rolling Element	Ball Bearing
Manufacturer URL	http://www.ina.com
Long Description	12MM Bore; 42MM Outside Diameter; 25MM Width; 2 Seals; No Flush Ground; Ball Bearing; Double Row of Balls; ABEC 1 ISO P0; No Filling Slot; Yes Snap Ring; C0-Medium; Plastic Cage; 60 Degree; 1 (Singl
Outside Diameter	1.654 Inch 42 Millimeter
Manufacturer Name	SCHAEFFLER GROUP
Weight / Kilogram	0.359
Bore Diameter (mm)	12
Internal Clearance	C0-Medium
Number of Bearings	1 (Single)
Outer Diameter (mm)	42
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.10.50.28
Number of Rows of Balls	Double Row
Dynamic load rating axial (C)	16,9 kN
Static load rating axial	24,7 kN



(C0)	
Maximum Capacity / Filling Slot	No