




Bearing No. 7314B

D	150 mm
d	70 mm
B	35 mm
C	35 mm
a	63.7 mm
Cu	5.35
Cr	143
f0	-
C0r	86.0
Noun	Bearing
Bore	2.756 Inch 70 Millimeter
a(mm)	63.7
Width	1.378 Inch 35 Millimeter
Weight	2.70 Kg
r min.	2.1 mm
UNSPSC	31171531
r(min)	2.1
da(min)	82
r1 min.	1.1 mm
Da max.	138 mm
r1(min)	1.1
Da(max)	138
ra max.	2 mm
ra(max)	2
da min.	82 mm
Category	Angular Contact Ball Bearing
Oil lub.	4300
Inventory	0.0

Enclosure	Open
Size (mm)	70x150x35
Snap Ring	No
Width (mm)	35
Bearing No.	7314B
Grease lub.	3200
Flush Ground	No
Contact Angle	40 Degree
Inch - Metric	Metric
Cage Material	Steel
Product Group	B00308
Keyword String	Angular Contact
Bearing number	7314B
Precision Class	ABEC 1 ISO P0
Rolling Element	Ball Bearing
Angle (?)	40 °
(Refer.)Mass(kg)	2.70
Outside Diameter	5.906 Inch 150 Millimeter
Manufacturer URL	http://www.koyousa.com
Long Description	70MM Bore; 150MM Outside Diameter; 35MM Width; Open; No Flush Ground; Ball Bearing; Single Row of Balls; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; C0-Medium; Steel Cage; 40 Degree; 1 (Single)
Weight / Kilogram	0
Manufacturer Name	KOYO
Number of Bearings	1 (Single)
Internal Clearance	C0-Medium
Bore Diameter (mm)	70



Outer Diameter (mm)	150
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.10.50.28
Number of Rows of Balls	Single Row
(Grease) Lubrication Speed	4000 r/min
Maximum Capacity / Filling Slot	No