




Bearing No. 6215

D	130 mm
d	75 mm
B	25 mm
C	25 mm
f0	14.5
Cu	3.10
Cr	84.3
C0r	48.3
Bore	2.953 Inch 75 Millimeter
Noun	Bearing
UNSPSC	31171504
Weight	1,18 Kg
r(min)	1.5
r min.	1,5 mm
da min.	83 mm
ra(max)	1.5
Da max.	122 mm
Da(max)	122
da(min)	83
ra max.	1,5 mm
Category	Single Row Ball Bearing
Oil lub.	5800
Inventory	0.0
Enclosure	Open
Size (mm)	75x130x25
Snap Ring	No
Width (mm)	25
Grease lub.	4800
Bearing No.	6215

Weight / LBS	2.729
Product Group	B00308
Cage Material	Steel
Inch - Metric	Metric
Keyword String	Ball
Bearing number	6215
Precision Class	ABEC 1 ISO P0
Rolling Element	Ball Bearing
Outside Diameter	5.118 Inch 130 Millimeter
Long Description	75MM Bore; 130MM Outside Diameter; 25MM Outer Race Diameter; Open; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features
Outer Race Width	0.984 Inch 25 Millimeter
(Refer.)Mass(kg)	1.18
Manufacturer URL	http://www.koyousa.com
Weight / Kilogram	1.239
Manufacturer Name	KOYO
Internal Clearance	C0-Medium
Bore Diameter (mm)	75
Outer Diameter (mm)	130
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.10.50.68
(Oil) Lubrication Speed	5800 r/min
Manufacturer Item Number	6215
Internal Special Features	No
(Grease) Lubrication Speed	4800 r/min

Basic static load rating (C0)	48,3 kN
Basic dynamic load rating (C)	67,4 kN
Maximum Capacity / Filling Slot	No