




Bearing No. 16019

D	145 mm
d	95 mm
B	16 mm
C	16 mm
f0	16.4
Cu	1.90
Cr	51.5
C0r	39.6
Bore	3.74 Inch 95 Millimeter
Noun	Bearing
UNSPSC	31171504
Weight	0,885 Kg
r(min)	1
r min.	1 mm
da min.	100 mm
ra(max)	1
Da max.	140 mm
Da(max)	140
da(min)	100
ra max.	1 mm
Category	Single Row Ball Bearing
Oil lub.	5300
Inventory	0.0
Enclosure	Open
Size (mm)	95x145x16
Snap Ring	No
Width (mm)	16
Grease lub.	4500
Bearing No.	16019
Weight / LBS	1.95109

Product Group	B00308
Cage Material	Steel
Inch - Metric	Metric
Keyword String	Ball
Bearing number	16019
Other Features	Deep Groove
Rolling Element	Ball Bearing
Precision Class	ABEC 1 ISO P0
(Refer.)Mass(kg)	0.885
Manufacturer URL	http://www.koyousa.com
Outer Race Width	0.63 Inch 16 Millimeter
Long Description	95MM Bore; 145MM Outside Diameter; 16MM Outer Race Width; Open; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features; C0-Medium Internal Clearance; Steel Cage
Outside Diameter	5.709 Inch 145 Millimeter
Inner Race Width	0 Inch 0 Millimeter
Manufacturer Name	KOYO
Weight / Kilogram	0
Internal Clearance	C0-Medium
Bore Diameter (mm)	95
Outer Diameter (mm)	145
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.10.50.68
(Oil) Lubrication Speed	5300 r/min
Internal Special Features	No
(Grease) Lubrication Speed	4500 r/min

Basic static load rating (C0)	39,6 kN
Basic dynamic load rating (C)	41,2 kN
Maximum Capacity / Filling Slot	No