




Bearing No. 6215ZZ

r	1.5
d	75 mm
D	130 mm
B	25 mm
C	25 mm
Z_	11
B_	25
D_	130
fo	14.7
ra	1.5
C0	49.5
DI_	86.038
DE_	120.962
DA_	17.462
D_a	122
SRI	9.04
SRE	9.04
SRIX	0.03
SRIN	-0.03
Noun	Bearing
bomp	0
SREN	-0.03
SREX	0.03
Bore	2.953 Inch 75 Millimeter
mass	1.19
KBRG	6141
SBRG	2
yobi	6215ZZ
SDM_	103.5

Weight	1,19 Kg
LangID	1
r min.	1,5 mm
ALPHA_	0
UNSPSC	31171504
da min	83
C_conv	66000
da max	90 mm
da min.	83 mm
GRS rpm	4800
hidYobi	6215ZZ
ra max.	1,5 mm
Da max.	122 mm
Category	Single Row Ball Bearing
hidTable	ecat_NSRDGB
Enclosure	2 Metal Shields
Size (mm)	75x130x25
Inventory	0.0
Snap Ring	No
Width (mm)	25
Prod_Type3	DGBB_SR_ZZ
Weight / LBS	1.18
Product Group	B00308
Inch - Metric	Metric
Cage Material	Steel
Bearing number	6215ZZ
Keyword String	Ball
Rolling Element	Ball Bearing
Precision Class	ABEC 1 ISO P0
Manufacturer URL	http://www.nskamericas.com
Outer Race Width	0.984 Inch 25 Millimeter

Outside Diameter	5.118 Inch 130 Millimeter
Long Description	75MM Bore; 130MM Outside Diameter; 25MM Outer Race Diameter; 2 Metal Shields; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features
Manufacturer Name	NSK
Weight / Kilogram	1.18
Internal Clearance	C0-Medium
Bore Diameter (mm)	75
Outer Diameter (mm)	130
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.10.50.68
Manufacturer Item Number	6215ZZ
Internal Special Features	No
(Grease) Lubrication Speed	4 800 r/min
Basic static load rating (C0)	49,5 kN
Basic dynamic load rating (C)	66 kN
Maximum Capacity / Filling Slot	No