




Bearing No. 7215DB

D	130 mm
d	75 mm
B	25 mm
C	25 mm
a	42,5 mm
2B	50 mm
Bore	2.953 Inch 75 Millimeter
Noun	Bearing
Width	1.969 Inch 50 Millimeter
UNSPSC	31171531
Weight	2,34 Kg
Db max	124,5 mm
r min.	1,5 mm
ra max.	1,5 mm
da min.	83,5 mm
r1 min.	1 mm
ra1 max.	1 mm
Category	Angular Contact Ball Bearing
Snap Ring	No
Inventory	0.0
Size (mm)	75x130x25
Enclosure	Open
Width (mm)	25
Weight / LBS	5.216
Flush Ground	Yes
Inch - Metric	Metric
Contact Angle	30 Degree
Cage Material	Steel

Product Group	B00308
Keyword String	Angular Contact
Bearing number	7215DB
Precision Class	ABEC 1 ISO P0
Rolling Element	Ball Bearing
Angle (?)	25 °
Long Description	75MM Bore; 130MM Outside Diameter; 50MM Width; Open; Yes Flush Ground; Ball Bearing; Single Row of Balls; ABEC 1 ISO P0; No Filling Slot; No Snap Ring
Outside Diameter	5.118 Inch 130 Millimeter
Manufacturer URL	http://www.ntnamerica.com
Weight / Kilogram	2.37
Manufacturer Name	NTN
Number of Bearings	2 (1 Pair)
Internal Clearance	C0-Medium
Bore Diameter (mm)	75
Outer Diameter (mm)	130
Mounting Arrangement	Duplex-Back to Back
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.10.50.28
Number of Rows of Balls	Single Row
Manufacturer Item Number	7215DB
(Grease) Lubrication Speed	4 200 r/min
Basic static load rating (C0)	137 kN
Basic dynamic load rating (C)	128 kN

Maximum Capacity / Filling Slot	No
------------------------------------	----