



Bearing No. 6219

D	170 mm
d	95 mm
B	32 mm
C	32 mm
f0	14.4
Cu	4.65
Cr	136
C0r	81.9
Bore	3.74 Inch 95 Millimeter
Noun	Bearing
UNSPSC	31171504
Weight	2,62 Kg
r(min)	2.1
r min.	2,1 mm
da min.	106 mm
ra(max)	2
Da max.	159 mm
Da(max)	159
da(min)	106
ra max.	2 mm
Category	Single Row Ball Bearing
Oil lub.	4400
Inventory	0.0
Enclosure	Open
Size (mm)	95x170x32
Snap Ring	No
Width (mm)	32
Grease lub.	3700
Bearing No.	6219
Weight / LBS	6.262

Product Group	B00308
Cage Material	Steel
Inch - Metric	Metric
Keyword String	Ball
Bearing number	6219
Precision Class	ABEC 1 ISO P0
Rolling Element	Ball Bearing
Outside Diameter	6.693 Inch 170 Millimeter
Long Description	95MM Bore; 170MM Outside Diameter; 32MM Outer Race Diameter; Open; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features
Outer Race Width	1.26 Inch 32 Millimeter
(Refer.)Mass(kg)	2.62
Manufacturer URL	http://www.koyousa.com
Weight / Kilogram	2.843
Manufacturer Name	KOYO
Internal Clearance	C0-Medium
Bore Diameter (mm)	95
Outer Diameter (mm)	170
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.10.50.68
(Oil) Lubrication Speed	4400 r/min
Manufacturer Item Number	6219
Internal Special Features	No
(Grease) Lubrication Speed	3700 r/min
Basic static load rating (C0)	81,9 kN

Basic dynamic load rating (C)	109 kN
Maximum Capacity / Filling Slot	No