



VA201



ZZ/VA201



ZZ/VA208



ZZ/VA228

Bearing No. 6219/VA201

D	170 mm
d	95 mm
B	32 mm
C	32 mm
d1	118 mm
D2	152 mm
Bore	3.74 Inch 95 Millimeter
Noun	Bearing
Weight	2,6 Kg
UNSPSC	31171504
r1 min.	2,1 mm
r2 min.	2,1 mm
Category	Single Row Ball Bearing
Enclosure	Open
Inventory	0.0
Snap Ring	No
Size (mm)	95x170x32
Width (mm)	32
Weight / LBS	2.65
Mass bearing	2.61 kg
Temperature -	30 to +250 °
Product Group	B00308
Inch - Metric	Metric
Cage Material	Steel
Keyword String	Ball
Limiting speed	60 r/min
Other Features	Deep Groove Extreme Temperature Variant
Bearing number	6219/VA201
Rolling Element	Ball Bearing

Precision Class	ABEC 1 ISO P0
Manufacturer URL	http://www.skf.com
Outer Race Width	1.26 Inch 32 Millimeter
Outside Diameter	6.693 Inch 170 Millimeter
Inner Race Width	0 Inch 0 Millimeter
Long Description	95MM Bore; 170MM Outside Diameter; 32MM Outer Race Width; Open; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; Polyalkylene Glycol/Graphite Mixture Filled Internal Special Features; C0-
Manufacturer Name	SKF
Weight / Kilogram	0
D _a max.	158 mm
Bore Diameter (mm)	95
Internal Clearance	C0-Medium
r _a max.	2 mm
d _a min.	107 mm
Outer Diameter (mm)	170
Minimum Buy Quantity	N/A
r _{1,2} min.	2.1 mm
D ₂ ?	151.3 mm
d ₁ ?	118.25 mm
Harmonized Tariff Code	8482.10.50.68
Internal Special Features	Polyalkylene Glycol/Graphite Mixture Filled
Basic dynamic load rating C	114 kN
Limiting temperature T max.	250 °C

Basic static load rating (C ₀)	81,5 kN
Maximum Capacity / Filling Slot	No
Basic static load rating C ₀	81.5 kN