




Bearing No. 6222

D	200 mm
d	110 mm
B	38 mm
C	38 mm
f0	14.4
Cu	6.20
Cr	180
C0r	117
Bore	4.331 Inch 110 Millimeter
Noun	Bearing
UNSPSC	31171504
Weight	4,36 Kg
r(min)	2.1
r min.	2,1 mm
da min.	121 mm
ra(max)	2
Da max.	189 mm
Da(max)	189
da(min)	121
ra max.	2 mm
Category	Single Row Ball Bearing
Oil lub.	3700
Inventory	0.0
Enclosure	Open
Size (mm)	110x200x38
Snap Ring	No
Width (mm)	38
Grease lub.	3100
Bearing No.	6222

Weight / LBS	10.351
Product Group	B00308
Cage Material	Steel
Inch - Metric	Metric
Keyword String	Ball
Bearing number	6222
Precision Class	ABEC 1 ISO P0
Rolling Element	Ball Bearing
Outer Race Width	1.496 Inch 38 Millimeter
Long Description	110MM Bore; 200MM Outside Diameter; 38MM Outer Race Diameter; Open; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features
Outside Diameter	7.874 Inch 200 Millimeter
(Refer.)Mass(kg)	4.36
Manufacturer URL	http://www.koyousa.com
Weight / Kilogram	4.699
Manufacturer Name	KOYO
Internal Clearance	C0-Medium
Bore Diameter (mm)	110
Outer Diameter (mm)	200
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.10.50.68
(Oil) Lubrication Speed	3700 r/min
Manufacturer Item Number	6222
Internal Special Features	No
(Grease) Lubrication Speed	3100 r/min

Basic static load rating (C0)	117 kN
Basic dynamic load rating (C)	144 kN
Maximum Capacity / Filling Slot	No