




Bearing No. 6224

D	215 mm
d	120 mm
B	40 mm
C	40 mm
f0	14.4
Cu	6.65
Cr	194
C0r	131
Bore	4.724 Inch 120 Millimeter
Noun	Bearing
UNSPSC	31171504
Weight	5,15 Kg
r(min)	2.1
r min.	2,1 mm
da min.	131 mm
ra(max)	2
Da max.	204 mm
Da(max)	204
da(min)	131
ra max.	2 mm
Category	Single Row Ball Bearing
Oil lub.	3400
Inventory	0.0
Enclosure	Open
Size (mm)	120x215x40
Snap Ring	No
Width (mm)	40
Grease lub.	2900
Bearing No.	6224

Weight / LBS	12.563
Product Group	B00308
Cage Material	Steel
Inch - Metric	Metric
Keyword String	Ball
Bearing number	6224
Precision Class	ABEC 1 ISO P0
Rolling Element	Ball Bearing
Outside Diameter	8.465 Inch 215 Millimeter
Long Description	120MM Bore; 215MM Outside Diameter; 40MM Outer Race Diameter; Open; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features
Outer Race Width	1.575 Inch 40 Millimeter
(Refer.)Mass(kg)	5.15
Manufacturer URL	http://www.koyousa.com
Weight / Kilogram	5.704
Manufacturer Name	KOYO
Internal Clearance	C0-Medium
Bore Diameter (mm)	120
Outer Diameter (mm)	215
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.10.50.68
(Oil) Lubrication Speed	3400 r/min
Manufacturer Item Number	6224
Internal Special Features	No
(Grease) Lubrication Speed	2900 r/min

Basic static load rating (C0)	131 kN
Basic dynamic load rating (C)	155 kN
Maximum Capacity / Filling Slot	No