




Bearing No. 7303B

D	47 mm
d	17 mm
B	14 mm
C	14 mm
a	20.8 mm
Cu	0.570
Cr	18.5
f0	-
C0r	8.10
Noun	Bearing
Bore	0.669 Inch 17 Millimeter
a(mm)	20.8
Width	0.551 Inch 14 Millimeter
Weight	0.120 Kg
r min.	1 mm
UNSPSC	31171531
r(min)	1
da(min)	22.5
r1 min.	0.6 mm
Da max.	41.5 mm
r1(min)	0.6
Da(max)	41.5
ra max.	1 mm
ra(max)	1
da min.	22.5 mm
Category	Angular Contact Ball Bearing
Oil lub.	14000
Inventory	0.0

Enclosure	Open
Size (mm)	17x47x14
Snap Ring	No
Width (mm)	14
Bearing No.	7303B
Grease lub.	11000
Flush Ground	No
Contact Angle	40 Degree
Inch - Metric	Metric
Cage Material	Steel
Product Group	B00308
Keyword String	Angular Contact
Bearing number	7303B
Precision Class	ABEC 1 ISO P0
Rolling Element	Ball Bearing
Angle (?)	40 °
(Refer.)Mass(kg)	0.120
Outside Diameter	1.85 Inch 47 Millimeter
Manufacturer URL	http://www.koyousa.com
Long Description	17MM Bore; 47MM Outside Diameter; 14MM Width; Open; No Flush Ground; Ball Bearing; Single Row of Balls; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; C0-Medium; Steel Cage; 40 Degree; 1 (Single)
Weight / Kilogram	0
Manufacturer Name	KOYO
Number of Bearings	1 (Single)
Internal Clearance	C0-Medium
Bore Diameter (mm)	17
Outer Diameter (mm)	47



Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.10.50.28
Number of Rows of Balls	Single Row
(Grease) Lubrication Speed	14 000 r/min
Maximum Capacity / Filling Slot	No