




Bearing No. 6228

D	250 mm
d	140 mm
B	42 mm
C	42 mm
f0	14.8
Cu	8.65
Cr	208
C0r	150
Bore	5.512 Inch 140 Millimeter
Noun	Bearing
UNSPSC	31171504
Weight	7,45 Kg
r(min)	3
r min.	3 mm
da min.	153 mm
ra(max)	2.5
Da max.	237 mm
Da(max)	237
da(min)	153
ra max.	2,5 mm
Category	Single Row Ball Bearing
Oil lub.	2900
Inventory	0.0
Enclosure	Open
Size (mm)	140x250x42
Snap Ring	No
Width (mm)	42
Grease lub.	2400
Bearing No.	6228

Weight / LBS	17.99
Product Group	B00308
Cage Material	Steel
Inch - Metric	Metric
Keyword String	Ball
Bearing number	6228
Precision Class	ABEC 1 ISO P0
Rolling Element	Ball Bearing
Long Description	140MM Bore; 250MM Outside Diameter; 42MM Outer Race Diameter; Open; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features
Outside Diameter	9.843 Inch 250 Millimeter
Outer Race Width	1.654 Inch 42 Millimeter
(Refer.)Mass(kg)	7.45
Manufacturer URL	http://www.koyousa.com
Weight / Kilogram	8.167
Manufacturer Name	KOYO
Internal Clearance	C0-Medium
Bore Diameter (mm)	140
Outer Diameter (mm)	250
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.10.50.68
(Oil) Lubrication Speed	2900 r/min
Manufacturer Item Number	6228
Internal Special Features	No
(Grease) Lubrication Speed	2400 r/min

Basic static load rating (C0)	150 kN
Basic dynamic load rating (C)	166 kN
Maximum Capacity / Filling Slot	No