



Bearing No. 6228LLU

B	42,000 mm
C	42,000 mm
d	140,000 mm
D	250,000 mm
Noun	Bearing
Bore	5.512 Inch 140 Millimeter
UNSPSC	31171504
Category	Single Row Ball Bearing
Snap Ring	No
Size (mm)	140x250x42
Enclosure	2 Seals
Inventory	0.0
Width (mm)	42,000
bore type:	Round
Weight / LBS	16.689
Cage Material	Steel
closure type:	Double Sealed
Product Group	B00308
Inch - Metric	Metric
Bearing number	6228LLU
Enclosure Type	Contact Seal
overall width:	42 mm
bore diameter:	140 mm
Keyword String	Ball
fillet radius:	3 mm
cage material:	Steel
Other Features	Deep Groove Double Lip Friction Nitrile Rubber Seal -20 To 120 Deg C

Precision Class	ABEC 1 ISO P0
Rolling Element	Ball Bearing
finish/coating:	Uncoated
Outside Diameter	9.843 Inch 250 Millimeter
Outer Race Width	1.654 Inch 42 Millimeter
Inner Race Width	0 Inch 0 Millimeter
Long Description	140MM Bore; 250MM Outside Diameter; 42MM Outer Race Width; 2 Seals; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features; C0-Medium Internal Clearance; Steel Cage
Manufacturer URL	http://www.ntnamerica.com
outer ring width:	42 mm
outside diameter:	250 mm
precision rating:	ISO Class 0
Weight / Kilogram	7.57
Manufacturer Name	NTN
bearing material:	High Carbon Chrome Steel
inner ring width:	42 mm
Internal Clearance	C0-Medium
Bore Diameter (mm)	140,000
snap ring included:	Without Snap Ring
internal clearance:	CN
Outer Diameter (mm)	250,000
Minimum Buy Quantity	N/A
static load capacity:	150000 N
row type & fill slot:	Single Row Non-Fill Slot

Harmonized Tariff Code	8482.10.50.68
dynamic load capacity:	166000 N
Manufacturer Item Number	6228LLU
Internal Special Features	No
manufacturer product page:	Click here
operating temperature range:	-40 to 120 °C
Maximum Capacity / Filling Slot	No