




Bearing No. 6228ZZ

D	250,000 mm
d	140,000 mm
B	42,000 mm
C	42,000 mm
Noun	Bearing
Bore	5.512 Inch 140 Millimeter
UNSPSC	31171504
Category	Single Row Ball Bearing
Enclosure	2 Metal Shields
Size (mm)	140x250x42
Snap Ring	No
Inventory	0.0
bore type:	Round
Width (mm)	42,000
Product Group	B00308
Inch - Metric	Metric
closure type:	Double Shielded
Cage Material	Steel
bore diameter:	140 mm
overall width:	42 mm
Keyword String	Ball
cage material:	Steel
Bearing number	6228ZZ
Other Features	Deep Groove Shell Alvania Prelubricated
fillet radius:	3 mm
finish/coating:	Uncoated
Rolling Element	Ball Bearing
Precision Class	ABEC 1 ISO P0
Long Description	140MM Bore; 250MM

	Outside Diameter; 42MM Outer Race Width; 2 Metal Shields; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features; C0-Medium Internal Clearance; St
Manufacturer URL	http://www.ntnamerica.com
Inner Race Width	0 Inch 0 Millimeter
Outer Race Width	1.654 Inch 42 Millimeter
Outside Diameter	9.843 Inch 250 Millimeter
outer ring width:	42 mm
inner ring width:	42 mm
bearing material:	High Carbon Chrome Steel
Manufacturer Name	NTN
outside diameter:	250 mm
precision rating:	ISO Class 0
Weight / Kilogram	0
Bore Diameter (mm)	140,000
Internal Clearance	C0-Medium
Outer Diameter (mm)	250,000
snap ring included:	Without Snap Ring
internal clearance:	CN
Minimum Buy Quantity	N/A
maximum rpm (grease):	2500 rpm
static load capacity:	150000 N
row type & fill slot:	Single Row Non-Fill Slot
dynamic load capacity:	166000 N
Harmonized Tariff Code	8482.10.50.68
Internal Special	No

Features	
manufacturer product page:	Click here
operating temperature range:	-40 to 120 °C
Maximum Capacity / Filling Slot	No