




Bearing No. 7226BG

|                |                              |
|----------------|------------------------------|
| D              | 230,000 mm                   |
| d              | 130,000 mm                   |
| B              | 40,000 mm                    |
| C              | 40,000 mm                    |
| Noun           | Bearing                      |
| Bore           | 5.118 Inch   130 Millimeter  |
| Width          | 1.575 Inch   40 Millimeter   |
| UNSPSC         | 31171531                     |
| weight:        | 6.950 kg                     |
| series:        | 72B                          |
| Category       | Angular Contact Ball Bearing |
| Enclosure      | Open                         |
| Size (mm)      | 130x230x40                   |
| Inventory      | 0.0                          |
| Snap Ring      | No                           |
| Width (mm)     | 40,000                       |
| bore type:     | Round                        |
| maximum rpm:   | 3400 rpm                     |
| Flush Ground   | Yes                          |
| Weight / LBS   | 15.36                        |
| Contact Angle  | 40 Degree                    |
| closure type:  | Open                         |
| Cage Material  | Steel                        |
| Product Group  | B00308                       |
| Inch - Metric  | Metric                       |
| Keyword String | Angular Contact              |
| Bearing number | 7226BG                       |
| cage material: | Brass                        |
|                |                              |

|                       |                                                                                                                                                           |
|-----------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
| fillet radius:        | 3 mm                                                                                                                                                      |
| overall width:        | 40 mm                                                                                                                                                     |
| contact angle:        | 40 °                                                                                                                                                      |
| bore diameter:        | 130 mm                                                                                                                                                    |
| Precision Class       | ABEC 1   ISO P0                                                                                                                                           |
| Rolling Element       | Ball Bearing                                                                                                                                              |
| finish/coating:       | Uncoated                                                                                                                                                  |
| Long Description      | 130MM Bore; 230MM Outside Diameter; 40MM Width; Open; Yes Flush Ground; Ball Bearing; Single Row of Balls; ABEC 1   ISO P0; No Filling Slot; No Snap Ring |
| Manufacturer URL      | <a href="http://www.ntnamerica.com">http://www.ntnamerica.com</a>                                                                                         |
| Outside Diameter      | 9.055 Inch   230 Millimeter                                                                                                                               |
| outside diameter:     | 230 mm                                                                                                                                                    |
| outer ring width:     | 40 mm                                                                                                                                                     |
| precision rating:     | ISO Class 0                                                                                                                                               |
| bearing material:     | High Carbon Chrome Steel                                                                                                                                  |
| Weight / Kilogram     | 6.97                                                                                                                                                      |
| Manufacturer Name     | NTN                                                                                                                                                       |
| Number of Bearings    | 1 (Single)                                                                                                                                                |
| Internal Clearance    | C0-Medium                                                                                                                                                 |
| Bore Diameter (mm)    | 130,000                                                                                                                                                   |
| snap ring included:   | Without Snap Ring                                                                                                                                         |
| internal clearance:   | C0                                                                                                                                                        |
| Outer Diameter (mm)   | 230,000                                                                                                                                                   |
| Minimum Buy Quantity  | N/A                                                                                                                                                       |
| Mounting Arrangement  | Universal                                                                                                                                                 |
| row type & fill slot: | Single-Row Non-Fill Slot                                                                                                                                  |
|                       |                                                                                                                                                           |

|                                 |                            |
|---------------------------------|----------------------------|
| Harmonized Tariff Code          | 8482.10.50.28              |
| Number of Rows of Balls         | Single Row                 |
| Manufacturer Item Number        | 7226BG                     |
| manufacturer product page:      | <a href="#">Click here</a> |
| operating temperature range:    | -40 to 120 °C              |
| radial static load capacity:    | 180000 N                   |
| radial dynamic load capacity:   | 177000 N                   |
| Maximum Capacity / Filling Slot | No                         |