




Bearing No. 627

D	22 mm
d	7 mm
B	7 mm
C	7 mm
Cr	4.10
f0	12.4
Cu	0.060
C0r	1.35
Bore	0.276 Inch 7 Millimeter
Noun	Bearing
r(min)	0.3
Weight	0,013 Kg
UNSPSC	31171504
r min.	0,3 mm
r1 min.	0,3 mm
da min.	9 mm
ra max.	0,3 mm
da(min)	9
Da(max)	20
ra(max)	0.3
Da max.	20 mm
Oil lub.	37000
Category	Single Row Ball Bearing
Size (mm)	7x22x7
Snap Ring	No
Enclosure	Open
Inventory	0.0
Width (mm)	7
Bearing No.	627
Grease lub.	31000

Weight / LBS	0.0287
Product Group	B00308
Cage Material	Steel
Inch - Metric	Metric
Keyword String	Ball
Bearing number	627
Other Features	Deep Groove
Rolling Element	Ball Bearing
Precision Class	ABEC 1 ISO P0
(Refer.)Mass(g)	13
Manufacturer URL	http://www.koyousa.com
Long Description	7MM Bore; 22MM Outside Diameter; 7MM Outer Race Width; Open; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features; C0-Medium Internal Clearance; Steel Cage
Outside Diameter	0.866 Inch 22 Millimeter
Inner Race Width	0 Inch 0 Millimeter
Outer Race Width	0.276 Inch 7 Millimeter
Manufacturer Name	KOYO
Weight / Kilogram	0
Internal Clearance	C0-Medium
Bore Diameter (mm)	7
Outer Diameter (mm)	22
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.10.50.68
(Oil) Lubrication Speed	37000 r/min
Internal Special Features	No
(Grease) Lubrication	31000 r/min

Speed	
Basic static load rating (C0)	1,35 kN
Basic dynamic load rating (C)	3,3 kN
Maximum Capacity / Filling Slot	No