




Bearing No. NJ238EM

S	1,7 mm
D	340 mm
r	4
C	55 mm
B	55 mm
d	190 mm
Fw	230 mm
D_	340
rb	3
B_	55
ra	3
C0	955
r1	4
da	206
Z_	19
DE_	306
DA_	38
DI_	230
mass	23
SDM_	268
SBRG	2
yobi	NJ238EM
KBRG	4155
LangID	1
r min.	4 mm
db max	225
dd min	247
Db max	324 mm
ALPHA_	0
db min	206 mm

C_conv	695000
Weight	23 Kg
dc min	234
TSR rpm	2000
D_a max	324
GRS rpm	1800
hidYobi	NJ238EM
Oil rpm	2200
ra max.	3 mm
r1 min.	4 mm
da min.	206 mm
Da max.	324 mm
db max.	225 mm
rb max.	3 mm
Category	Bearings
hidTable	ecat_NSCLDR
Macha rpm	3400
Size (mm)	190x340x55
Inventory	0.0
Width (mm)	55
Prod_Type3	CRB_SR_NJ
Product Group	B04144
Bearing number	NJ238EM
Manufacturer Name	NSK
Weight / US pound	23
Bore Diameter (mm)	190
Outer Diameter (mm)	340
Minimum Buy Quantity	N/A
(Grease) Lubrication Speed	1800 r/min
Basic dynamic load rating (C)	695 kN
Basic static load rating	955 kN

(C0)	
------	--