




Bearing No. 7238BG

D	340,000 mm
d	190,000 mm
B	55,000 mm
C	55,000 mm
Noun	Bearing
Bore	7.48 Inch 190 Millimeter
Width	2.165 Inch 55 Millimeter
UNSPSC	31171531
weight:	22.720 kg
Category	Angular Contact Ball Bearing
Snap Ring	No
Enclosure	Open
Size (mm)	190x340x55
Inventory	0.0
Width (mm)	55,000
bore type:	Round
Flush Ground	Yes
maximum rpm:	2200 rpm
Weight / LBS	50.211
Product Group	B00308
closure type:	Open
Cage Material	Steel
Contact Angle	40 Degree
Inch - Metric	Metric
contact angle:	40 °
cage material:	Brass
overall width:	55 mm
bore diameter:	190 mm

fillet radius:	4 mm
Keyword String	Angular Contact
Bearing number	7238BG
Rolling Element	Ball Bearing
finish/coating:	Uncoated
Precision Class	ABEC 1 ISO P0
Manufacturer URL	http://www.ntnamerica.com
Outside Diameter	13.386 Inch 340 Millimeter
Long Description	190MM Bore; 340MM Outside Diameter; 55MM Width; Open; Yes Flush Ground; Ball Bearing; Single Row of Balls; ABEC 1 ISO P0; No Filling Slot; No Snap Ring
precision rating:	ISO Class 0
Manufacturer Name	NTN
Weight / Kilogram	22.8
outside diameter:	340 mm
bearing material:	High Carbon Chrome Steel
Bore Diameter (mm)	190,000
Internal Clearance	C0-Medium
Number of Bearings	1 (Single)
snap ring included:	Without Snap Ring
Outer Diameter (mm)	340,000
Mounting Arrangement	Universal
Minimum Buy Quantity	N/A
row type & fill slot:	Single-Row Non-Fill Slot
Harmonized Tariff Code	8482.10.50.28
Number of Rows of Balls	Single Row
Manufacturer Item Number	7238BG

manufacturer product page:	Click here
operating temperature range:	-40 to 120 °C
radial static load capacity:	355000 N
radial dynamic load capacity:	273000 N
Maximum Capacity / Filling Slot	No