




Bearing No. 87008

C	10,319 mm
d	8,000 mm
B	10,319 mm
D	24,000 mm
Bore	0.315 Inch 8 Millimeter
Noun	Bearing
UNSPSC	31171504
series:	87
Category	Single Row Ball Bearing
Size (mm)	8x24x10.319
Inventory	0.0
Enclosure	1 Seal-1 Metal Shield
Snap Ring	No
Width (mm)	10,319
bore type:	Round
Weight / LBS	0.044
Cage Material	Steel
Inch - Metric	Metric
Product Group	B00308
closure type:	One Seal/One Shield
bore diameter:	8 mm
overall width:	10.319 mm
Keyword String	Ball
fillet radius:	0.3 mm
cage material:	Steel
Bearing number	87008
Other Features	Deep Groove Felt Seal Shell Alvania Prelubricated
Enclosure Type	Contact Seal
finish/coating:	Uncoated

Rolling Element	Ball Bearing
Precision Class	ABEC 1 ISO P0
Manufacturer URL	http://www.ntnamerica.com
Outside Diameter	0.945 Inch 24 Millimeter
Inner Race Width	0.386 Inch 9.8 Millimeter
Outer Race Width	0.315 Inch 8 Millimeter
Long Description	8MM Bore; 24MM Outside Diameter; 8MM Outer Race Width; 1 Seal-1 Metal Shield; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; Wide Inner Ring Internal Special Features; C0-Medium Interna
outer ring width:	8 mm
inner ring width:	9.804 mm
Manufacturer Name	NTN
Weight / Kilogram	0
bearing material:	High Carbon Chrome Steel
outside diameter:	24 mm
precision rating:	ISO Class 0
Bore Diameter (mm)	8,000
Internal Clearance	C0-Medium
Outer Diameter (mm)	24,000
internal clearance:	CN
snap ring included:	Without Snap Ring
Minimum Buy Quantity	N/A
row type & fill slot:	Single Row Non-Fill Slot
maximum rpm (grease):	24000 rpm
static load capacity:	1580 N

Harmonized Tariff Code	8482.10.50.68
dynamic load capacity:	4000 N
Internal Special Features	Wide Inner Ring
manufacturer product page:	Click here
operating temperature range:	-40 to 120 °C
Maximum Capacity / Filling Slot	No