




Bearing No. 87016

C	12,700 mm
d	16,000 mm
B	12,700 mm
D	35,000 mm
Bore	0.63 Inch 16 Millimeter
Noun	Bearing
UNSPSC	31171504
series:	87
Category	Single Row Ball Bearing
Size (mm)	16x35x12.700
Inventory	0.0
Enclosure	1 Seal-1 Metal Shield
Snap Ring	No
Width (mm)	12,700
bore type:	Round
Weight / LBS	0.105
Cage Material	Steel
Inch - Metric	Metric
Product Group	B00308
closure type:	One Seal/One Shield
bore diameter:	16 mm
overall width:	12.7 mm
Keyword String	Ball
fillet radius:	0.6 mm
cage material:	Steel
Bearing number	87016
Other Features	Deep Groove Felt Seal Shell Alvania Prelubricated
Enclosure Type	Contact Seal
finish/coating:	Uncoated

Rolling Element	Ball Bearing
Precision Class	ABEC 1 ISO P0
Manufacturer URL	http://www.ntnamerica.com
Outer Race Width	0.433 Inch 11 Millimeter
Outside Diameter	1.378 Inch 35 Millimeter
Inner Race Width	0.48 Inch 12.2 Millimeter
Long Description	16MM Bore; 35MM Outside Diameter; 11MM Outer Race Width; 1 Seal-1 Metal Shield; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; Wide Inner Ring Internal Special Features; C0-Medium Inter
outer ring width:	11 mm
inner ring width:	12.192 mm
Manufacturer Name	NTN
Weight / Kilogram	0
bearing material:	High Carbon Chrome Steel
outside diameter:	35 mm
precision rating:	ISO Class 0
Bore Diameter (mm)	16,000
Internal Clearance	C0-Medium
Outer Diameter (mm)	35,000
internal clearance:	CN
snap ring included:	Without Snap Ring
Minimum Buy Quantity	N/A
row type & fill slot:	Single Row Non-Fill Slot
maximum rpm (grease):	15000 rpm

static load capacity:	3600 N
Harmonized Tariff Code	8482.10.50.68
dynamic load capacity:	7750 N
Internal Special Features	Wide Inner Ring
manufacturer product page:	Click here
operating temperature range:	-40 to 120 °C
Maximum Capacity / Filling Slot	No