




Bearing No. 6315ZZNR

D	160,000 mm
d	75,000 mm
B	37,000 mm
C	37,000 mm
Noun	Bearing
Bore	2.953 Inch 75 Millimeter
UNSPSC	31171504
Category	Single Row Ball Bearing
Size (mm)	75x160x37
Snap Ring	Yes
Inventory	0.0
Enclosure	2 Metal Shields
bore type:	Round
Width (mm)	37,000
Weight / LBS	6.87842
Product Group	B00308
closure type:	Double Shielded
Cage Material	Steel
Inch - Metric	Metric
Other Features	Deep Groove With Snap Ring Shell Alvania Prelubricated
overall width:	37 mm
bore diameter:	75 mm
cage material:	Steel
Keyword String	Ball
fillet radius:	2.1 mm
Bearing number	6315ZZNR
finish/coating:	Uncoated
Rolling Element	Ball Bearing

Precision Class	ABEC 1 ISO P0
Outer Race Width	1.457 Inch 37 Millimeter
Inner Race Width	0 Inch 0 Millimeter
Long Description	75MM Bore; 160MM Outside Diameter; 37MM Outer Race Width; 2 Metal Shields; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; Yes Snap Ring; No Internal Special Features; C0-Medium Internal Clearance; St
Outside Diameter	6.299 Inch 160 Millimeter
Manufacturer URL	http://www.ntnamerica.c om
Weight / Kilogram	3.1
outer ring width:	37 mm
inner ring width:	37 mm
bearing material:	High Carbon Chrome Steel
Manufacturer Name	NTN
outside diameter:	160 mm
precision rating:	ISO Class 0
Bore Diameter (mm)	75,000
Internal Clearance	C0-Medium
Outer Diameter (mm)	160,000
snap ring included:	With Snap Ring
internal clearance:	CN
Minimum Buy Quantity	N/A
static load capacity:	77000 N
row type & fill slot:	Single Row Non-Fill Slot
maximum rpm (grease):	4300 rpm
Harmonized Tariff Code	8482.10.50.68

dynamic load capacity:	113000 N
Internal Special Features	No
manufacturer product page:	Click here
operating temperature range:	-40 to 120 °C
Maximum Capacity / Filling Slot	No