




Bearing No. 6317ZZ

D	180 mm
d	85 mm
B	41 mm
C	41 mm
rn	0,5 mm
Bore	3.346 Inch 85 Millimeter
Noun	Bearing
UNSPSC	31171504
da max	112 mm
Weight	4,23 Kg
r min.	3 mm
Da max.	167 mm
ra max.	2,5 mm
da min.	98 mm
Category	Single Row Ball Bearing
Snap Ring	No
Size (mm)	85x180x41
Inventory	0.0
Enclosure	2 Metal Shields
Width (mm)	41
bore type:	Round
Weight / LBS	9.415
Product Group	B00308
Cage Material	Steel
Inch - Metric	Metric
closure type:	Double Shielded
overall width:	41 mm
Keyword String	Ball
Bearing number	6317ZZ

bore diameter:	85 mm
fillet radius:	3 mm
cage material:	Steel
finish/coating:	Uncoated
Rolling Element	Ball Bearing
Precision Class	ABEC 1 ISO P0
Long Description	85MM Bore; 180MM Outside Diameter; 41MM Outer Race Diameter; 2 Metal Shields; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features
Manufacturer URL	http://www.ntnamerica.com
Outside Diameter	7.087 Inch 180 Millimeter
Outer Race Width	1.614 Inch 41 Millimeter
outside diameter:	180 mm
bearing material:	High Carbon Chrome Steel
Manufacturer Name	NTN
inner ring width:	41 mm
precision rating:	ISO Class 0
outer ring width:	41 mm
Weight / Kilogram	4.27
Internal Clearance	C0-Medium
Bore Diameter (mm)	85
internal clearance:	CN
snap ring included:	Without Snap Ring
Outer Diameter (mm)	180
Minimum Buy Quantity	N/A
static load capacity:	97000 N

maximum rpm (grease):	3800 rpm
row type & fill slot:	Single Row Non-Fill Slot
Harmonized Tariff Code	8482.10.50.68
dynamic load capacity:	133000 N
Manufacturer Item Number	6317ZZ/2AS
Internal Special Features	No
manufacturer product page:	Click here
(Grease) Lubrication Speed	3 800 r/min
operating temperature range:	-40 to 120 °C
Basic static load rating (C0)	97 kN
Basic dynamic load rating (C)	133 kN
Maximum Capacity / Filling Slot	No