



Bearing No. 6900ZZNR

D	22,000 mm
C	6,000 mm
B	6,000 mm
d	10,000 mm
Bore	0.394 Inch 10 Millimeter
Noun	Bearing
UNSPSC	31171504
series:	69
Category	Single Row Ball Bearing
Size (mm)	10x22x6
Enclosure	2 Metal Shields
Snap Ring	Yes
Inventory	0.0
Width (mm)	6,000
bore type:	Round
maximum rpm:	30000 RPM
Weight / LBS	0.022
Cage Material	Steel
closure type:	Double Shielded
Product Group	B00308
Inch - Metric	Metric
Bearing number	6900ZZNR
bore diameter:	10 mm
overall width:	6 mm
fillet radius:	0.3 mm
cage material:	Steel
Keyword String	Ball
Rolling Element	Ball Bearing
finish/coating:	Uncoated

Precision Class	ABEC 1 ISO P0
Manufacturer URL	http://www.ntnamerica.com
Outside Diameter	0.866 Inch 22 Millimeter
Long Description	10MM Bore; 22MM Outside Diameter; 6MM Outer Race Diameter; 2 Metal Shields; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; Yes Snap Ring; No Internal Special Features
Outer Race Width	0.236 Inch 6 Millimeter
Weight / Kilogram	0.009
outer ring width:	6 mm
inner ring width:	6 mm
bearing material:	High Carbon Chrome Steel
Manufacturer Name	NTN
outside diameter:	22 mm
precision rating:	ISO Class 0
Bore Diameter (mm)	10,000
Internal Clearance	C0-Medium
Outer Diameter (mm)	22,000
snap ring included:	With Snap Ring
internal clearance:	CN
Minimum Buy Quantity	N/A
row type & fill slot:	Single Row Non-Fill Slot
static load capacity:	1270 N
maximum rpm (grease):	30000 rpm
dynamic load capacity:	2700 N
Harmonized Tariff Code	8482.10.50.68
Manufacturer Item Number	6900ZZNR/2AS
Internal Special	No

Features	
manufacturer product page:	Click here
operating temperature range:	-40 to 120 °C
Maximum Capacity / Filling Slot	No