




Bearing No. 6803

D	26 mm
d	17 mm
B	5 mm
C	5 mm
f0	15.7
Cu	0.060
Cr	3.30
C0r	1.55
Bore	0.669 Inch 17 Millimeter
Noun	Bearing
UNSPSC	31171504
Weight	0,008 Kg
r(min)	0.3
r min.	0,3 mm
da min.	19 mm
ra(max)	0.3
Da max.	24 mm
Da(max)	24
da(min)	19
ra max.	0,3 mm
Category	Single Row Ball Bearing
Oil lub.	30000
Inventory	0.0
Enclosure	Open
Size (mm)	17x26x5
Snap Ring	No
Width (mm)	5
Grease lub.	26000
Bearing No.	6803

Weight / LBS	0.019
Product Group	B00308
Cage Material	Steel
Inch - Metric	Metric
Keyword String	Ball
Bearing number	6803
Precision Class	ABEC 1 ISO P0
Rolling Element	Ball Bearing
Outer Race Width	0.197 Inch 5 Millimeter
Long Description	17MM Bore; 26MM Outside Diameter; 5MM Outer Race Diameter; Open; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features
Outside Diameter	1.024 Inch 26 Millimeter
(Refer.)Mass(kg)	0.008
Manufacturer URL	http://www.koyousa.com
Weight / Kilogram	0.009
Manufacturer Name	KOYO
Internal Clearance	C0-Medium
Bore Diameter (mm)	17
Outer Diameter (mm)	26
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.10.50.68
(Oil) Lubrication Speed	30000 r/min
Manufacturer Item Number	6803
Internal Special Features	No
(Grease) Lubrication Speed	26000 r/min
Basic static load rating	1,55 kN

(C0)	
Basic dynamic load rating (C)	2,6 kN
Maximum Capacity / Filling Slot	No