




Bearing No. SL182219

E	155,95 mm
m	4,17 kg / Weight
s	2,5 mm / Axial displacement
d	95 mm
D	170 mm
B	43 mm
Bore	3.74 Inch 95 Millimeter
Noun	Bearing
Width	1.693 Inch 43 Millimeter
UNSPSC	31171547
Profile	Complete with Outer and Inner Ring
Category	Cylindrical Roller Bearing
Retainer	No
Size (mm)	95x170x43
Inventory	0.0
Snap Ring	No
Separable	No
Width (mm)	43
Bore Profile	Straight
Weight / LBS	11.009
Cage Material	None
Inch - Metric	Metric
Product Group	B04144
C _r	330000 N / Dynamic load rating (radial)
D ₁	147,3 mm
d ₁	122 mm

n_G	2420 1/min / Limiting speed
Bearing number	SL182219
Other Features	Full Complement 2 Rib Inner Ring 1 Rib Outer Ring with Retaining Ring Operating Temperature From -30 to 120 Deg
Relubricatable	Yes
C_{ur}	61000 N / Fatigue limit load, radial
C_{Or}	425000 N / Static load rating (radial)
r_{min}	2,1 mm
Rolling Element	Cylindrical Roller Bearing
Precision Class	RBEC 1 ISO P0
Long Description	95MM Bore; Straight Bore Profile; 170MM Outside Diameter; 43MM Width; RBEC 1 ISO P0; Single Row; Not Separable; No Snap Ring; Relubricatable; C0-Medium Internal Clearance; No Retainer
Manufacturer URL	http://www.ina.com
Outside Diameter	6.693 Inch 170 Millimeter
Manufacturer Name	SCHAEFFLER GROUP
Weight / Kilogram	4.998
Internal Clearance	C0-Medium
Bore Diameter (mm)	95
Outer Diameter (mm)	170
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.50.00.00
Manufacturer Item	SL182219



Number	
Number of Rows of Rollers	Single Row