




Bearing No. 6801

D	21 mm
d	12 mm
B	5 mm
C	5 mm
f0	15.3
Cu	0.040
Cr	2.40
C0r	1.05
Bore	0.472 Inch 12 Millimeter
Noun	Bearing
UNSPSC	31171504
Weight	0,006 Kg
r(min)	0.3
r min.	0,3 mm
da min.	14 mm
ra(max)	0.3
Da max.	19 mm
Da(max)	19
da(min)	14
ra max.	0,3 mm
Category	Single Row Ball Bearing
Oil lub.	39000
Inventory	0.0
Enclosure	Open
Size (mm)	12x21x5
Snap Ring	No
Width (mm)	5
Grease lub.	33000
Bearing No.	6801

Weight / LBS	0.014
Product Group	B00308
Cage Material	Steel
Inch - Metric	Metric
Keyword String	Ball
Bearing number	6801
Precision Class	ABEC 1 ISO P0
Rolling Element	Ball Bearing
Long Description	12MM Bore; 21MM Outside Diameter; 5MM Outer Race Diameter; Open; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features
Outer Race Width	0.197 Inch 5 Millimeter
Outside Diameter	0.827 Inch 21 Millimeter
(Refer.)Mass(kg)	0.006
Manufacturer URL	http://www.koyousa.com
Weight / Kilogram	0.006
Manufacturer Name	KOYO
Internal Clearance	C0-Medium
Bore Diameter (mm)	12
Outer Diameter (mm)	21
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.10.50.68
(Oil) Lubrication Speed	39000 r/min
Manufacturer Item Number	6801
Internal Special Features	No
(Grease) Lubrication Speed	33000 r/min
Basic static load rating	1,05 kN

(C0)	
Basic dynamic load rating (C)	1,9 kN
Maximum Capacity / Filling Slot	No