




Bearing No. SL182222

E	177,6 mm
m	7,24 kg / Weight
s	4 mm / Axial displacement
d	110 mm
D	200 mm
B	53 mm
Bore	4.331 Inch 110 Millimeter
Noun	Bearing
Width	2.087 Inch 53 Millimeter
UNSPSC	31171547
Profile	Complete with Outer and Inner Ring
Category	Cylindrical Roller Bearing
Retainer	No
Size (mm)	110x200x53
Inventory	0.0
Snap Ring	No
Separable	No
Width (mm)	53
Bore Profile	Straight
Weight / LBS	19.114
Cage Material	None
Inch - Metric	Metric
Product Group	B04144
C _r	450000 N / Dynamic load rating (radial)
D ₁	168 mm
d ₁	137 mm

n_G	2130 1/min / Limiting speed
Bearing number	SL182222
Other Features	Full Complement 2 Rib Inner Ring 1 Rib Outer Ring with Retaining Ring Operating Temperature From -30 to 120 Deg
Relubricatable	Yes
C_{ur}	81000 N / Fatigue limit load, radial
C_{Or}	580000 N / Static load rating (radial)
r_{min}	2,1 mm
Rolling Element	Cylindrical Roller Bearing
Precision Class	RBEC 1 ISO P0
Long Description	110MM Bore; Straight Bore Profile; 200MM Outside Diameter; 53MM Width; RBEC 1 ISO P0; Single Row; Not Separable; No Snap Ring; Relubricatable; C0-Medium Internal Clearance; No Retainer
Manufacturer URL	http://www.ina.com
Outside Diameter	7.874 Inch 200 Millimeter
Manufacturer Name	SCHAEFFLER GROUP
Weight / Kilogram	8.678
Internal Clearance	C0-Medium
Bore Diameter (mm)	110
Outer Diameter (mm)	200
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.50.00.00
Manufacturer Item	SL182222



Number	
Number of Rows of Rollers	Single Row