




Bearing No. SL182205

E	46,52 mm
m	0,18 kg / Weight
s	1 mm / Axial displacement
d	25 mm
D	52 mm
B	18 mm
Bore	0.984 Inch 25 Millimeter
Noun	Bearing
Width	0.709 Inch 18 Millimeter
UNSPSC	31171547
Profile	Complete with Outer and Inner Ring
Category	Cylindrical Roller Bearing
Retainer	No
Size (mm)	25x52x18
Inventory	0.0
Snap Ring	No
Separable	No
Width (mm)	18
Bore Profile	Straight
Weight / LBS	0.475
Cage Material	None
Inch - Metric	Metric
Product Group	B04144
C _r	51000 N / Dynamic load rating (radial)
D ₁	41,9 mm
d ₁	35,5 mm

n_G	9000 1/min / Limiting speed
Bearing number	SL182205
Other Features	Full Complement 2 Rib Inner Ring 1 Rib Outer Ring with Retaining Ring Operating Temperature From -30 to 120 Deg
Relubricatable	Yes
C_{ur}	7400 N / Fatigue limit load, radial
C_{Or}	44500 N / Static load rating (radial)
r_{min}	1 mm
Rolling Element	Cylindrical Roller Bearing
Precision Class	RBEC 1 ISO P0
Long Description	25MM Bore; Straight Bore Profile; 52MM Outside Diameter; 18MM Width; RBEC 1 ISO P0; Single Row; Not Separable; No Snap Ring; Relubricatable; C0-Medium Internal Clearance; No Retainer
Manufacturer URL	http://www.ina.com
Outside Diameter	2.047 Inch 52 Millimeter
Manufacturer Name	SCHAEFFLER GROUP
Weight / Kilogram	0.216
Internal Clearance	C0-Medium
Bore Diameter (mm)	25
Outer Diameter (mm)	52
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.50.00.00
Manufacturer Item	SL182205



Number	
Number of Rows of Rollers	Single Row