




Bearing No. SL182208

E	70,94 mm
m	0,55 kg / Weight
s	1 mm / Axial displacement
d	40 mm
D	80 mm
B	23 mm
Bore	1.575 Inch 40 Millimeter
Noun	Bearing
Width	0.906 Inch 23 Millimeter
UNSPSC	31171547
Profile	Complete with Outer and Inner Ring
Category	Cylindrical Roller Bearing
Retainer	No
Size (mm)	40x80x23
Inventory	0.0
Snap Ring	No
Separable	No
Width (mm)	23
Bore Profile	Straight
Weight / LBS	1.426
Cage Material	None
Inch - Metric	Metric
Product Group	B04144
C _r	97000 N / Dynamic load rating (radial)
D ₁	66,3 mm
d ₁	54 mm

n_G	5600 1/min / Limiting speed
Bearing number	SL182208
Other Features	Full Complement 2 Rib Inner Ring 1 Rib Outer Ring with Retaining Ring Operating Temperature From -30 to 120 Deg
Relubricatable	Yes
C_{ur}	14900 N / Fatigue limit load, radial
C_{Or}	91000 N / Static load rating (radial)
r_{min}	1,1 mm
Rolling Element	Cylindrical Roller Bearing
Precision Class	RBEC 1 ISO P0
Long Description	40MM Bore; Straight Bore Profile; 80MM Outside Diameter; 23MM Width; RBEC 1 ISO P0; Single Row; Not Separable; No Snap Ring; Relubricatable; C0-Medium Internal Clearance; No Retainer
Manufacturer URL	http://www.ina.com
Outside Diameter	3.15 Inch 80 Millimeter
Manufacturer Name	SCHAEFFLER GROUP
Weight / Kilogram	0.647
Internal Clearance	C0-Medium
Bore Diameter (mm)	40
Outer Diameter (mm)	80
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.50.00.00
Manufacturer Item Number	SL182208



Number of Rows of Rollers	Single Row
------------------------------	------------