




Bearing No. 21319CKE4

r	3
d	95 mm
D	200 mm
B	45 mm
C	45 mm
e	0.22
Y2	4.6
C0	435
D_	200
B_	45
Y0	3
ra	2.5
Y1	3
X0	1
X1	1
X2	0.67
Y3	3.1
Z_	17
DE_	175.131
DA_	23
SIR	16
DI_	129.617
bomp	21319CKE4
SBRG	3
KBRG	2322
SDM_	152.374
ALP1	8
mass	6.92
yobi	21319CKE4
ALP3	0

ALP2	20
da min	109
r min.	3 mm
da max	127 mm
Da min	172 mm
Weight	6,92 Kg
LangID	1
ALPHA_	0.145
D_a max	186
Da max.	186 mm
da min.	109 mm
Oil rpm	2000
D_a min	172
GRS rpm	1500
hidYobi	21319CKE4
TSR rpm	3600
ra max.	2,5 mm
Category	Roller Bearings
hidTable	ecat_NSSPHR
Macha rpm	0
Size (mm)	95x200x45
Inventory	0.0
Prod_Type3	SRB_CTB_TB
Width (mm)	45
Product Group	B04311
Bearing number	21319CKE4
Manufacturer Name	NSK
Weight / Kilogram	7
Bore Diameter (mm)	95
Outer Diameter (mm)	200
Minimum Buy Quantity	N/A
Calculation factor (e)	0,22

(Oil) Lubrication Speed	2000 r/min
Calculation factor (Y0)	3
Calculation factor (Y2)	4,6
(Grease) Lubrication Speed	1500 r/min
Basic dynamic load rating (C)	345 kN
Basic static load rating (C0)	435 kN