




Bearing No. SL182215

E	116,2 mm
m	1,75 kg / Weight
s	1,5 mm / Axial displacement
d	75 mm
D	130 mm
B	31 mm
Bore	2.953 Inch 75 Millimeter
Noun	Bearing
Width	1.22 Inch 31 Millimeter
UNSPSC	31171547
Profile	Complete with Outer and Inner Ring
Category	Cylindrical Roller Bearing
Retainer	No
Size (mm)	75x130x31
Inventory	0.0
Snap Ring	No
Separable	No
Width (mm)	31
Bore Profile	Straight
Weight / LBS	4.62
Cage Material	None
Inch - Metric	Metric
Product Group	B04144
C _r	187000 N / Dynamic load rating (radial)
D ₁	110 mm
d ₁	91,8 mm

n_G	3250 1/min / Limiting speed
Bearing number	SL182215
Other Features	Full Complement 2 Rib Inner Ring 1 Rib Outer Ring with Retaining Ring Operating Temperature From -30 to 120 Deg
Relubricatable	Yes
C_{ur}	35500 N / Fatigue limit load, radial
C_{Or}	236000 N / Static load rating (radial)
r_{min}	1,5 mm
Rolling Element	Cylindrical Roller Bearing
Precision Class	RBEC 1 ISO P0
Long Description	75MM Bore; Straight Bore Profile; 130MM Outside Diameter; 31MM Width; RBEC 1 ISO P0; Single Row; Not Separable; No Snap Ring; Relubricatable; C0-Medium Internal Clearance; No Retainer
Manufacturer URL	http://www.ina.com
Outside Diameter	5.118 Inch 130 Millimeter
Manufacturer Name	SCHAEFFLER GROUP
Weight / Kilogram	2.096
Internal Clearance	C0-Medium
Bore Diameter (mm)	75
Outer Diameter (mm)	130
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.50.00.00
Manufacturer Item	SL182215

Number	
Number of Rows of Rollers	Single Row