
Loyal | K81228-M



Bearing No. K81228-M

	GS81228 / Allocated housing locating washer
m	1,8 kg / Weight
Noun	Roller Assembly
Height	0.748 Inch | 19 Millimeter
Banded	No
UNSPSC	31171500
Bore 2	5.512 Inch | 140 Millimeter
Bore 1	5.512 Inch | 140 Millimeter
Category	Thrust Roller Bearings
Size (mm)	140x200x19
Inventory	0.0
Width (mm)	19
Weight / LBS	2.639
Cage Material	Machined Brass
Self Aligning	No
Product Group	B04144
Inch - Metric	Metric
n_B	730 1/min / Reference speed
n_G	1690 1/min / Limiting speed
C_a	455000 N / Dynamic load rating (axial)
E_b	151 mm
E_a	195 mm
D_w	19 mm
D_c	200 mm

Other Features	Single Row | ISO Series 1 and 4
C_{ua}	141000 N / Fatigue limit load
Keyword String	Thrust Cylindrical
C_{0a}	1450000 N / Static load rating (axial)
Thrust Bearing	Yes
D_{c1}	140 mm
Bearing number	K81228-M
Rolling Element	Cylindrical Roller Bearing
Precision Class	ABEC 1 | ISO P0
Long Description	140MM Bore 1; 140MM Bore 2; 200MM Outside Diameter; 19MM Height; Cylindrical Roller Bearing; Single Direction; Not Self Aligning; Not Banded; Machined Brass Cage; ABEC 1 | ISO P0; Roller Assembly Only
Manufacturer URL	http://www.ina.com
Outside Diameter	7.874 Inch | 200 Millimeter
Weight / Kilogram	2.299
Manufacturer Name	SCHAEFFLER GROUP
Bore Diameter (mm)	140
Outer Diameter (mm)	200
Minimum Buy Quantity	N/A
Component Description	Roller Assembly Only
Harmonized Tariff Code	8482.99.25.60
Manufacturer Item Number	K81228M
Single or Double Direction	Single Direction

Overall Height with Aligning Washer	0 Inch | 0 Millimeter