




Bearing No. AXK140180

D	180 mm
d	140 mm
T	5 mm
Eb	146.0 mm
Cu	82.5
Ca	136
D1	-
Dw	5
Dc	180
Ea	177.0 mm
C0a	887
Dc1	140
Noun	Roller Assembly
D,d1	180
h(mm)	-
a(mm)	-
Bore 2	5.512 Inch 140 Millimeter
Banded	No
Height	0.197 Inch 5 Millimeter
UNSPSC	31171500
Bore 1	5.512 Inch 140 Millimeter
Weight	0.221 Kg
h1(mm)	1.00
ra max.	0.6 mm
rs(min)	-
ra(max)	0.6
Category	Thrust Roller Bearings
Oil lub.	2300
Inventory	0.0

Size (mm)	140x180x5
Width (mm)	5
Bearing No.	AXK140180
Weight / LBS	0.487
Self Aligning	No
Product Group	B04144
Cage Material	Steel
Inch - Metric	Metric
Bearing number	AXK140180
Keyword String	Thrust Needle
Other Features	Single Row One Piece Cage
Thrust Bearing	Yes
Rolling Element	Needle Roller Bearing
Precision Class	ABEC 1 ISO P0
Long Description	140MM Bore 1; 140MM Bore 2; 180MM Outside Diameter; 5MM Height; Needle Roller Bearing; Single Direction; Not Self Aligning; Not Banded; Steel Cage; ABEC 1 ISO P0; Roller Assembly Only
Outside Diameter	7.087 Inch 180 Millimeter
Manufacturer URL	http://www.koyousa.com
(Refer.)Mass(kg)	-
Weight / Kilogram	0.22
Manufacturer Name	KOYO
Bore Diameter (mm)	140
Washer designation	-
Outer Diameter (mm)	180
Minimum Buy Quantity	N/A
Component Description	Roller Assembly Only



Harmonized Tariff Code	8482.99.25.40
Manufacturer Item Number	AXK140180
Single or Double Direction	Single Direction
Basic static load rating (C0)	887 kN
Basic dynamic load rating (C)	136 kN
Washer designation Shaft piloted	-
Overall Height with Aligning Washer	0 Inch 0 Millimeter
Washer designation Housing piloted	-