




Bearing No. SL04-5030NR

S	9 mm
d	150 mm
D	225 mm
B	100 mm
C	99 mm
t	2 mm
f	3 mm
E	233,5 mm
J	178 mm
Cf	81 mm
E1	260 mm
da	157 mm
Cf1	81 mm
Bore	5.906 Inch 150 Millimeter
Noun	Bearing
Width	3.937 Inch 100 Millimeter
r min.	1 mm
Weight	14,6 Kg
UNSPSC	31171547
Profile	Complete with Outer and Inner Ring
Retainer	No
Category	Cylindrical Roller Bearing
Separable	No
Size (mm)	150x225x100
Inventory	0.0
Snap Ring	Yes
Width (mm)	100

Bore Profile	Straight
Weight / LBS	30.056
Inch - Metric	Metric
Product Group	B04144
Cage Material	None
Other Features	Full Complement 3 Rib Inner Ring 1 Rib Outer Ring
Relubricatable	Yes
Bearing number	SL04-5030NR
Rolling Element	Cylindrical Roller Bearing
Precision Class	RBEC 1 ISO P0
Long Description	150MM Bore; Straight Bore Profile; 225MM Outside Diameter; 100MM Width; RBEC 1 ISO P0; Double Row; Not Separable; Snap Ring; Relubricatable; C0-Medium Internal Clearance; No Retainer
Manufacturer URL	http://www.ntnamerica.com
Outside Diameter	8.858 Inch 225 Millimeter
Weight / Kilogram	13.65
Manufacturer Name	NTN
Internal Clearance	C0-Medium
Bore Diameter (mm)	150
Outer Diameter (mm)	225
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.50.00.00
Manufacturer Item Number	SL04-5030NR
Number of Rows of Rollers	Double Row

Basic static load rating (C0)	1 290 kN
Basic dynamic load rating (C)	690 kN